

Cisco Business Edition 7000 Solutions

Collaboration System Release Versions 10.6 and 9.1

Bring your extended or growing workforce together with a full array of integrated collaboration applications that come preloaded on a single modular platform. Built on the virtualized Cisco Unified Computing System™ (Cisco UCS®) platform, the Cisco® Business Edition 7000 (BE7000) is equipped with premium Collaboration applications for voice, video, mobility, messaging, conferencing, instant messaging and presence, and contact center. Turn them on as your collaboration needs increase and easily scale your users and devices by deploying additional BE7000 servers. The modular building block design of BE7000 is ideal for deployments from several hundred users to tens of thousands of users, providing plenty of room for future growth.

Choice, Scale and Simple Management

Have you reached the point when your voice system is maxed out? Or you need to connect multiple devices per user, but you don't have the capacity? Or your users talk about how hard it is to reach co-workers and work together productively? These conditions suggest you consider a collaboration solution. But perhaps you are unsure if you want to deploy a major new IT installation.


With Cisco BE7000 you can try a group of collaboration technologies with a subset of employees and then scale up quickly. Pay as you grow, rather than making a large initial outlay. Cisco BE7000 is optimized for enterprise-scale organizations with 1000 to 5000 users and 3000 to 15,000 devices, but offers a great fit for smaller deployments where fast growth is expected. And by stacking additional servers, deployments larger than 5000 users can be supported at anytime.

The BE7000 solution is extremely versatile. Each system is preloaded with premium voice, video, mobility, messaging, conferencing, instant messaging and presence, and contact center applications. You can add others as you choose from a broad selection of Cisco DevNet third-party partner applications. Combine the wealth of applications and the building block design, and you have a solution designed to get your users collaborating quickly and easily. And one that's quick and easy for you to install, as well.

And you have a very wide choice of collaboration applications (see Figure 1).

Figure 1. Cisco BE7000 - Stackable and Easy to Deploy with Many Application Choices

Deploy the Cisco BE7000 for your large organization with 1,000 to 5,000 users with expanding collaboration needs. This versatile platform lets you easily add new applications as your needs change. Begin with full voice and IP telephony, and easily “turn on” video capabilities, contact center, support for third-party apps, and much more over time.



Platform Model Options

Cisco BE7000 platforms are built on virtualized Cisco Unified Computing System™ (Cisco UCS®) products, which are designed for performance and density over a wide range of business workloads.

- BE7000H: this high-density model typically supports between five to ten collaboration applications in deployments sized for 1000 to 5000 users, 3000 to 15,000 devices, and multiple sites. For more capacity to support larger sized deployments, stack additional servers as required. And in smaller sized deployments with less than 1000 users, typically more applications can be supported per server.
- BE7000M: this medium-density model typically supports between four to six collaboration applications in deployments sized for 1000 to 5000 users, 3000 to 15,000 devices, and multiple sites. For more capacity to support larger sized deployments, simply stack additional servers. And in smaller sized deployments with less than 1000 users, typically more applications can be supported per server.

The enterprise-class Cisco UCS C240 M4 Rack-Mount Server family packages advanced performance with energy efficiency of the Intel Xeon processor E5-2600 v3 product family in a 2-rack-unit (2RU) form factor. BE7000 platform models ship with a preinstalled virtualization hypervisor and preloaded software applications that are ready to deploy.

Foundation Applications

The BE7000 platforms typically host a selection of core applications as part of a comprehensive Cisco Collaboration solution.

- [Cisco Unified Communications Manager](#) (Cisco Unified CM) is the call-processing engine of Cisco's Collaboration Architecture. It extends voice and video features to network devices such as IP phones, telepresence endpoints, media-processing devices, gateways, and multimedia applications. Cisco Unified CM is equipped for use with the instant messaging and presence services server, as well, multimedia conferencing, collaborative contact centers and interactive multimedia response systems are made possible through its open telephony APIs.
- [Cisco Unified Communications Manager IM and Presence Service](#) provides embedded standards-based, enterprise instant messaging (IM) and network-based presence as part of Cisco Unified Communications. IM and Presence Service is secure, scalable, easy-to-manage, and rich in features. It's tightly integrated with [Cisco Jabber](#)[®] desktop and mobile instant messaging and presence clients - and Cisco Jabber Software Development Kit (SDK). Collaboration clients such as Cisco Jabber leverage products from the Cisco Collaboration portfolio to perform many functions such as instant messaging, presence, click-to-call, phone control, voice, video, visual voicemail, and web collaboration.
- [Cisco Unity[®] Connection](#) integrates voice-messaging and voice-recognition functions to provide continuous global access to calls and messages. Its advanced convergence-based communication services allow you to use natural-language voice commands to place calls or listen to messages in hands-free mode and to check voice messages from your desktop, either from your email inbox or using a web browser. It also provides robust Automated Attendant functions, including intelligent routing for incoming calls and easily customizable call-screening and message-notification options.
- [Cisco Prime[™] Collaboration Provisioning](#) provides an automated process for initial deployments and for "day 2" moves, adds, changes, and deletions. An intuitive user interface provides a single view of a subscriber and the subscriber's services. Prime Collaboration Provisioning significantly accelerates site rollouts and dramatically reduces the time required for ongoing changes. The result? Exceptional productivity gains and lower operating expenses. In addition, Prime Collaboration Provisioning simplifies the tasks, allowing organizations to optimize IT resources and further reduce total cost of ownership.
- [Cisco Licensing](#) (including Cisco Prime Licensing Manager [PLM]) makes usage and reporting simple. PLM provides a centralized, at-a-glance view of compliance and allows for redistribution of licensing among supported products. User licensing - based on user profiles - aligns with Cisco User Connect Licenses (UCL) and Cisco Unified Workspace Licensing (UWL) purchasing models.

Additional Collaboration Options

To complement the core unified communications applications detailed previously, you can also choose to deploy the following collaboration applications with the BE7000H and BE7000M platform models:

- [Cisco TelePresence Server](#) helps make video pervasive for all users from browser to boardroom. It supports multiparty high-definition (HD) videoconferencing capabilities as a co-resident application. Flexible licensing options allow you to deploy conferencing in the way that best suits your needs. Cisco TelePresence Server can be licensed in conjunction with Cisco TelePresence Conductor on a per-user basis for high-quality small-group ad-hoc and MeetMe conferencing, either with Cisco Unified Workspace Professional Licensing, Personal Multiparty Conferencing, or on a concurrent call (screen) basis.

- [Cisco TelePresence® Conductor](#) simplifies and enhances conference resource management, making conferences easy to join and administer. It uses knowledge of all available video conferencing resources and their capabilities to help ensure dynamic, intelligent conference placement and optimum resource usage.
- [Cisco TelePresence Management Suite](#) offers flexible scheduling capabilities for video meetings, including the ability to integrate with Microsoft Exchange and Microsoft Office 365. It also works alongside Cisco TelePresence Conductor to enable user self-service personalization of individual conferencing environments (Collaboration Meeting Rooms).
- [Cisco TelePresence Content Server](#) simplifies the process of capturing and sharing many types of content throughout the organisation including: videoconferences, lectures, training sessions, and meetings. It allows users to create and manage business-quality multimedia content easily from any H.323 or Session Initiation Protocol (SIP) video endpoint, as well, to distribute that content - live or recorded - to any PC, portable media device, or to Cisco Show and Share. (This option is planned for the Q2 2015 timeframe.)
- [Cisco Expressway](#) is an advanced multimedia gateway that helps make collaboration as simple, secure, and effective outside the organization as it is inside. It gives video-enabled teleworkers and mobile Cisco Jabber users access to their full collaboration workloads without requiring a VPN. Cisco Expressway simplifies business-to-business video and supports Jabber® Guest for business-to-consumer collaboration. Cisco Expressway also eases migration by enabling video interoperability with third-party standards-based systems - including Microsoft Lync 2013.
- [Cisco Unified Contact Center](#) provides high-quality call center capabilities, including agent-based services as well as fully integrated self-service applications, sophisticated and distributed automatic call distributor (ACD), interactive voice response (IVR), customer voice portal (CVP), and computer telephony integration (CTI).
- [Cisco Unified Attendant Consoles](#) provide the human attendant console operator with the tools to quickly accept and effectively dispatch incoming calls to individuals across the organization.
- [Cisco WebEx® Web Conferencing](#) accelerates business results by making your web meetings more productive. This people-centric cloud-based collaboration solution can enable team members to share information easily through any computer or mobile device. WebEx® Meetings allows people to attend meetings any time, from anywhere, inside and outside corporate firewalls.
- [Cisco Emergency Responder](#) helps assure that Unified Communications Manager sends emergency calls to the appropriate United States Public Safety Answering Point (PSAP) for the caller's location, and that the PSAP can identify the caller's location and return the call if necessary. The system automatically tracks and updates equipment moves and changes, helping ensure better compliance with legal or regulatory obligations and reducing the risk of liability related to emergency calls as a result.
- [Cisco Paging Server](#) provides paging capabilities for all users. It supports basic and advanced paging features. Basic paging features require no license and allow point-to-point or group audio paging between groups of up to 50 Cisco IP Phones. An advanced paging license allows unlimited paging groups. It also makes possible other advanced functions, including paging to overhead analog and IP speakers, bell scheduling, prioritizing emergency notifications with the call-barge option, prerecorded and text-only pages, integration with social media sites for notification, email and Short Message Service (SMS) mass notification and all-number monitoring, Emergency Services alerting, and integration with Jabber clients.

In addition, when used with a Cisco UC Virtualization Hypervisor license, BE7000H and BE7000M platform models support co-residency of approved third-party collaboration applications as described in the [Co-residency Policy](#). Virtualization Hypervisor licenses may be upgraded to a higher-tier feature edition to host any application if required.

Solution Specifications: System Capacity

Table 1 lists typical system capacities that BE7000 platform models support (actual capacities will vary by model type and deployment specifics). For detailed design guidance and deployment models, please refer to the [Solutions Reference Network Design \(SRND\)](#) guides and Preferred Architecture for Enterprise Collaboration, the [virtualization docwiki pages](#), and the [Collaboration Virtual Machine Placement Tool](#).

Table 1. Cisco BE7000H and BE7000M Models System Capacity

Attribute	Capacity
Maximum capacity	No enforced limit; Scales using modular, building-block approach; stack additional server models to increase whole system capacity
Number of devices supported	No enforced limit; stack additional server models to increase whole system capacity
Maximum number of co-resident applications	No enforced limit; Typical deployments consist of two to four physical server models: <ul style="list-style-type: none"> • BE7000H model: Typically supports a range of five to ten applications per server (will vary by deployment specifics) • BE7000M model: Typically supports a range of four to six applications per server (will vary by deployment specifics)

Ordering Information

To order any BE7000 platform model, simply purchase the required number of servers (using the part number(s) in Table 2), and add application licensing to enable the required mix of features and number of users (for example, User Connect Licensing (UCL) or Unified Workspace Licensing (UWL), sold separately from the BE7000 server model part number). Cisco channel partners and resellers can refer to the [Cisco Business Edition 7000 Ordering Guide](#) for further information.

To place an order, contact your local Cisco representative or visit Cisco.com to [Order Direct from Cisco](#) or [Locate a Partner](#) - search on “Advanced Collaboration Architecture Specialization (ACAS)”, “Advanced Unified Communications (AUC)” or “Advanced Technology Partner (ATP)” to find a certified unified communications partner in your local area.

Table 2. Ordering Cisco Business Edition 7000 Platform Models

Part Number	Description
BE7H-M4-K9	Cisco Business Edition 7000H Svr (M4), Export Restricted SW
BE7H-M4-XU	Cisco Business Edition 7000H Svr (M4), Export Unrestricted SW
BE7M-M4-K9	Cisco Business Edition 7000M Svr (M4), Export Restricted SW
BE7M-M4-XU	Cisco Business Edition 7000M Svr (M4), Export Unrestricted SW
BE7K-K9	Cisco Business Edition 7000 Svr (M3), Export Restricted SW
BE7K-K9-XU	Cisco Business Edition 7000 Svr (M3), Export Unrestricted SW

Cisco Services

Cisco Unified Communications Services help you accelerate cost savings and productivity gains associated with deploying Cisco Unified Communications in your network. Delivered by Cisco and our certified partners, our portfolio of deployment and technical support services is based on proven methodologies for unifying voice, video, data, and mobile applications on fixed and mobile networks. Our unique lifecycle approach to these services can help you provide your users with powerful new ways to collaborate with co-workers, partners, and customers across any workspace to accelerate business advantage.

To learn more, please visit <http://www.cisco.com/go/ucservices>.

For More Information

To learn more about Cisco Business Edition 7000 Solutions, visit <http://www.cisco.com/go/be7000>.

To learn more about designing virtualized solutions, visit <http://www.cisco.com/go/uconucs>, <http://www.cisco.com/go/uc-virtualized> and <http://www.cisco.com/go/vmpt>.



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)